

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUN 8 1979

Returned to applicant for correction OCT 30 1979

Corrected application filed

Map filed

The applicant Richard D. Taylor & W. Ray Grimm
2885 Kietzke Lane, of Reno, Nv.
Street and No. or P.O. Box No. City or Town
NV 89509, hereby make 2. application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground
Name of stream, lake or other source.

2. The amount of water applied for is 1 CSF second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Commercial =
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: T17N R20E Sec. 33

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use T17N R20E Sec. 33
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about Jan. 1 and end about Dec. 31, of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill well pump & distribution system

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works \$5,000
10. Estimated time required to construct works 1-1/2 yrs.
11. Estimated time required to complete the application to beneficial use 3 yrs.
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

1 Restaurant & Health Spa 1500 gal. per day 365 days a year -

Applicant s/Richard D. Taylor
s/Grimm

By

Compared lp/bc

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use shall be filed on or before

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed IN TESTIMONY WHEREOF, I
Completion of work filed State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed my office, this day of
Cultural map filed
Certificate No. Issued A.D. 19
Recorded Bk. Page